



## Batterie Gold-Mount 190Wh 2-Parties

2-Part 3-Stud Camera battery 14.8V/190Wh

Reference: Hornet 190A

EAN13: -



Hornet 190 connects 2 batteries in one unit, doubling the capacity to 190Wh. It is an air travel friendly battery solution, which can be legally transported without restrictions under IATA, ICAO and UN regulations.

### LCD Display

Hornet is outfitted with a runtime LCD. Not only will you be able to see true runtime in hours and minutes, the LCD also provides an estimation based on a dummy load 26W, when on standby. Furthermore, the LCD provides you the charge and discharge remaining times, giving you more performance of Hornet batteries.

The Fuel Computer has three phrases:

### Norma RUN Time

When the battery is not in use, the battery calculates the run time based upon a predetermined 26W load.

### Remaining RUN Time

When the battery is powering a device, the battery calculates the run time based on the actual draw.

### Remaining Charge Time

When the battery is charging, the fuel computer calculates the time until the battery is fully charged.

### Exhaustion Alarm

EURO LIGHT System - 24, rue des Moulins - 95110 SANNOIS - FRANCE

Tel : +33 (0) 1.48.41.52.52 - Fax : +33 (0) 1.48.41.52.54

info@eurolight-system.com - www.eurolight-system.com

When the remaining capacity is less than 10%, and ""E"" character starts flashing on the LCD, reminding you to change the battery in time.

#### Hibernation Mode

There is a hibernation mode available to control battery self-discharge rate, which is helpful for long term storage without exhaust the battery.

#### Reset

The battery can be reset when the MCU inside crashes or other faults occur.

#### Integrated D-tap and USB port

2 D-Tap output allows you to power a 12V DC device. An additional USB port allows accessible charging for your mobile device.

Five-step remaining capacity LED display shows the battery's remaining capacity.

The on-board fuel computer display is the most unique feature of the Hornet. The backlit LCD displays your operating time in hours and minutes, a capacity bar grid, and percent capacity. The batteries

fuel computer samples the capacity and the discharge or charge load, recomputes and refreshes the display every 5 seconds.

#### **Caractéristiques :**

New Design: 2-Part 3-Stud Battery

Air transport: legally without restrictions