MINETTE MAMBA C – DV Canon

PX MAMBAC

Principales caractéristiques

MINETTE LED Pro-X MAMBA-C avec semelle DV Canon + cordon D-Tap P=18W, TC: de 2800 à 5600K, U=7.2V, IRC:97 . (Ref : PX MAMBA-C)

MAMBA-C light uses CON (Chip on Board) LED technology, features high color rendering index up to 97. It allows to adjust the color temperature from 2800K to 5600K continuously by an on-board dimmer control. There’s also a dia to change the brightness from 10% to 100% with no noticeable color shift.
Compatible with Canon BP-975, BP-955.

Caractéristiques
LEDs : COB (Chip on Board) LED technology
CRI/CQS : jusqu’à 97
Autres : Spread, non-glaring, single shadow and high brightness light
Température de couleur : 2800-5600K color temperature adjustment available

Euro Light System: 24, rue des Moulins – 95110 Sannois – France - Tel: +33 148 41 52 52
E-mail: contact@eurolight-system.com - www.eurolight-system.com

Dimmer : 10%-100% brightness adjustment available

Euro Light System: 24, rue des Moulins – 95110 Sannois – France - Tel: +33 148 41 52 52
E-mail: contact@eurolight-system.com - www.eurolight-system.com

Euro Light System: 24, rue des Moulins – 95110 Sannois – France - Tel: +33 148 41 52 52
E-mail: contact@eurolight-system.com - www.eurolight-system.com